



Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended): A dye mixture comprising at least one dye of formula



together with at least one dye of formula





wherein

R₁ and R₂ are hydrogen,

D₁ and D₂ are each independently of the other a radical of formula





wherein

$(R_{6n})_{0-2}$ denotes from 0 to 2 identical or different substituents from the group halogen, C_{1-4} alkyl, C_{1-4} alkoxy and sulfo,

Y_{3a} is α, β -dibromopropionylamino or α -bromoacryloylamino,


m is the number 2 or 3,

n is the number 2 or 3, and

Z_1 , Z_2 , Z_3 and Z_4 are each independently of the others vinyl, β -chloroethyl or β -sulfatoethyl

X is halogen, and

Z_5 and Z_6 are each independently of the other vinyl or a radical $-CH_2-CH_2-U$ and U is a group removable under alkaline conditions



wherein


R_1 and R_2 are each independently of the other hydrogen or unsubstituted or substituted C_1 - C_8 alkyl;

$(R_3)_{0-3}$ and $(R_4)_{0-3}$ each independently of the other denote from 0 to 3 identical or different substituents from the group halogen, C_1 - C_4 alkyl, C_1 - C_4 alkoxy, carboxy and sulfo;

D_1 and D_2 are each independently of the other the radical of a diazo component of the benzene or naphthalene series;





r and s are each independently of the other the number 0 or 1, and the sum of r + s is the number 1 or 2;

Y_1 and Y_2 are each independently of the other a fibre reactive radical of formula



wherein

X is halogen, T has independently the same definitions as X, or is a non-fibre reactive substituent or a fibre reactive radical of formula




$(R_g)_{0.2}$ denotes from 0 to 2 identical or different substituents from the group halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy and sulfo;

Z is vinyl or a radical $\text{---CH}_2\text{---CH}_2\text{---U}$ and U is a group removable under alkaline conditions; Q is a group $\text{---CH(Hal)---CH}_2\text{---Hal}$ or ---C(Hal)=CH_2 ;

m and n are each independently of the other the number 2, 3 or 4, and

Hal is halogen;

with at least one of the radicals Y₁ and Y₂ being a radical of formula (3d), and the dye of formula (2) not being a dye of formula



wherein

X* is fluorine and the β -sulfateethylsulfonyl group is bonded in the 4-position; or

X* is chlorine and the β -sulfateethylsulfonyl group is bonded in the 3-position.

2. (canceled);

3. (canceled):

4. (canceled):


5. (currently amended): A dye mixture according to claim 1, wherein

R_1 and R_2 are hydrogen,

D_1 is a radical of formula



D_2 is a radical of formula



wherein


R_{6a} and R_{6b} are each independently of the other methyl or methoxy, and

Z_{1a} and Z_{1b} are each independently of the other vinyl, β -chloroethyl or β -sulfatoethyl.

6. (canceled):

7. (previously presented): A method of dyeing or printing of hydroxyl-group-containing or nitrogen-containing fibre materials, which comprises contacting said materials with a dye mixture according to claim 1.

8. (withdrawn): A dye of formula



wherein

X is halogen, and

Z₅ and Z₆ are each independently of the other vinyl or a radical -CH₂-CH₂-U and U is a group removable under alkaline conditions.

9. (withdrawn): A method of dyeing or printing of hydroxyl-group-containing or nitrogen-containing fibre materials, which comprises contacting said materials with a dye of formula (2aa) according to claim 8.

10. (previously presented): An aqueous ink comprising a dye mixture according to claim 1.

11. (previously presented): An inkjet printing method for printing hydroxyl-group-containing or nitrogen-containing fibre materials, which comprises printing said materials with an aqueous ink according to claim 10.

12. (withdrawn): An aqueous ink comprising a dye according to claim 8.